

| L Number | Hits | Search Text | DB  | Time stamp       |
|----------|------|-------------|---|------------------|
| 10       | 2833 | 385/88      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 11       | 1543 | 385/89      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 12       | 3158 | 385/31      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 13       | 5259 | 385/14      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 14       | 1161 | 385/28      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 15       | 1057 | 385/52      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 16       | 1217 | 385/76      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 17       | 705  | 385/90      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 19       | 561  | 385/91      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 20       | 1876 | 385/92      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 21       | 947  | 385/126     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 22       | 1897 | 385/130     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |

|    |        |  |   |                  |
|----|--------|--|---|------------------|
| 23 | 1261   | 385/132  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:31 |
| 24 | 632131 | 385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:32 |
| 25 | 18520  | (385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:32 |
| 26 | 25680  | (385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:32 |
| 27 | 414    | ((385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3) and hole and (optic\$3 near3 fiber) and plug                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:52 |
| 28 | 15     | ((385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3) and hole and (optic\$3 near3 fiber) and plug) and cube             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/02/06 12:52 |
| -  | 1209   | 385/89   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:49 |
| -  | 176    | (mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:38 |
| -  | 12     | ((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5) and rectang\$5 and (recess or cavity) and (optic\$3 near3 fiber) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:49 |
| -  | 0      | 20010051029.URPN.  | USPAT   | 2002/12/03 10:23 |
| -  | 31718  | murata.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:24 |
| -  | 446    | murata.in. and akihiro   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:28 |
| -  | 1      | (murata.in. and akihiro) and ((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5)                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:29 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 219  | (murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:29 |
| - | 1    | ((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))) and (molded near3 body)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:38 |
| - | 3    | ((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))) and (electronic near4 (part or element)) and interconnect\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 10:40 |
| - | 385  | 385/89 and mold\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:34 |
| - | 227  | (385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:39 |
| - | 69   | ((385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)) and hole and (conduct\$3)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:36 |
| - | 1    | "4186995".PN.  | USPAT   | 2002/12/03 12:26 |
| - | 178  | 385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 14:33 |
| - | 107  | (385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:36 |
| - | 52   | ((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)) and (interconnect\$4)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:40 |
| - | 76   | (385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 14:43 |
| - | 38   | ((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)) and (interconnect\$4) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 12:41 |
| - | 2331 | 385/88   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 14:33 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 2263 | 385/147   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 14:33 |
| - | 4693 | 385/89 or 385/88 or 385/147   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:40 |
| - | 429  | (385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/03 14:34 |
| - | 150  | ((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:01 |
| - | 150  | ((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:41 |
| - | 66   | ((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber) and interconnect\$4               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:06 |
| - | 58   | ((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber) and interconnect\$4) and mount\$4 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:27 |
| - | 4693 | 385/89 or 385/88 or 385/147   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:40 |
| - | 11   | (385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector)) and ((bonding near4 pad) near8 interconnect\$4)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/04 08:44 |